

# Advanced Phase-Lock Techniques

# Contents

|  |             |
|--|-------------|
| <i>Preface .....</i>   | <i>xvii</i> |
| <b>Chapter 1</b>   |             |
| <i>Phase-Locked Systems—A High-Level Perspective.....</i>                                    | <i>I</i>    |
| <b>1.1 Phase-Locked Loop Basics .....</b>  | <b>1</b>    |
| 1.1.1 Some PLL History .....   | 2           |
| <b>1.2 Continuous-Time Control System Perspective for PLLs (High SNR) .....</b>              | <b>2</b>    |
| <b>1.3 Time-Sampled PLL Systems (High SNR).....</b>  | <b>8</b>    |
| <b>1.4 Estimation Theoretic Perspective (Low SNR) for PLLs .....</b>                         | <b>14</b>   |
| 1.4.1 PLL as a Minimum Mean-Square-Error (MMSE) Estimator .....                              | 17          |
| 1.4.2 PLL as a Maximum-Likelihood (ML) Estimator .....                                       | 18          |
| 1.4.3 PLL as a Maximum A Posteriori (MAP)-Based Estimator .....                              | 19          |
| 1.4.4 Performance Limits from the Cramer-Rao Bound .....                                     | 21          |
| 1.4.5 Optimal Mean-Square-Error Tracking: Kalman Filtering .....                             | 22          |
| <b>1.5 Summary.....</b>  | <b>23</b>   |
| <b>References.....</b>   | <b>25</b>   |
| <b>Selected Bibliography.....</b>  | <b>26</b>   |
| <b>Chapter 2</b>   |             |
| <i>Design Notes .....</i>  | <i>27</i>   |
| <b>2.1 Summary of Classic Continuous-Time Type-2 Second-Order PLL Design Equations .....</b> | <b>27</b>   |
| <b>2.2 Continuous-Time Type-2 Fourth-Order PLLs .....</b>                                    | <b>40</b>   |
| <b>2.3 Discretized PLLs .....</b>  | <b>40</b>   |
| 2.3.1 Integration Methods .....  | 40          |
| 2.3.2 Closed-Form Discrete-Time PLL Solutions.....   | 42          |
| 2.3.3 Higher-Order Differentiation Formulas.....   | 44          |
| <b>2.4 Hybrid PLLs Incorporating Sample-and-Holds .....</b>                                  | <b>45</b>   |
| 2.4.1 Ideal Type-1 with Zero-Order Sample-and-Hold .....                                     | 45          |
| 2.4.2 Ideal Type-2 with Zero-Order Sample-and-Hold .....                                     | 46          |
| <b>2.5 Communication Theory .....</b>  | <b>47</b>   |
| 2.5.1 Graphical Bit Error Rate and Symbol Error Rate Results .....                           | 49          |
| 2.5.2 BPSK Bit Error Rate .....  | 49          |
| 2.5.3 QPSK Bit Error Rate .....  | 50          |
| 2.5.4 16-QAM Symbol Error Rate .....   | 51          |
| 2.5.5 64-QAM Symbol Error Rate .....   | 52          |

|   |           |
|---|-----------|
| 2.5.6 256-QAM Symbol Error Rate .....                       | 53        |
| 2.5.7 8-PSK Symbol Error Rate .....                         | 54        |
| 2.5.8 16-PSK Symbol Error Rate .....                        | 55        |
| <b>2.6 Spectral Relationships .....</b>                     | <b>56</b> |
| <b>2.7 Trigonometry .....</b>                               | <b>58</b> |
| <b>2.8 Laplace Transforms.....</b>                          | <b>59</b> |
| <b>2.9 z-Transforms .....</b>                               | <b>60</b> |
| <b>2.10 Probability and Stochastic Processes .....</b>      | <b>62</b> |
| <b>2.11 Numerical Simulation.....</b>                       | <b>64</b> |
| 2.11.1 DSP Windows .....                                    | 66        |
| 2.11.2 Polynomial-Based Interpolation .....                 | 67        |
| 2.11.3 Raised-Cosine-Based Interpolation .....              | 68        |
| 2.11.4 Fourth-Order Runge-Kutta Numerical Integration ..... | 68        |
| <b>2.12 Calculus.....</b>                                   | <b>68</b> |
| <b>2.13 Butterworth Lowpass Filters .....</b>               | <b>69</b> |
| <b>2.14 Chebyshev Lowpass Filters.....</b>                  | <b>69</b> |
| <b>2.15 Constants .....</b>                                 | <b>70</b> |
| <b>References.....</b>                                      | <b>70</b> |

*Chapter 3*

|   |           |
|---|-----------|
| <b>Fundamental Limits .....</b>                             | <b>71</b> |
| <b>3.1 Phase Modulation and Bessel Functions.....</b>       | <b>71</b> |
| <b>3.2 Hilbert Transforms.....</b>                          | <b>73</b> |
| <b>3.3 Cauchy-Schwarz Inequality.....</b>                   | <b>78</b> |
| <b>3.4 RF Filtering Effects on Frequency Stability.....</b> | <b>78</b> |
| <b>3.5 Chebyshev Inequality .....</b>                       | <b>81</b> |
| <b>3.6 Chernoff Bound.....</b>                              | <b>81</b> |
| <b>3.7 Cramer-Rao Bound .....</b>                           | <b>83</b> |
| 3.7.1 CR Bound for Sine Wave in AWGN.....                   | 85        |
| 3.7.2 Phase Estimation for Sine Wave in AWGN .....          | 89        |
| 3.7.3 CR Bound for Bit-Time Estimation.....                 | 89        |
| <b>3.8 Eigenfilters (Optimal Filters).....</b>              | <b>90</b> |
| <b>3.9 Fano Broadband Matching Theorem.....</b>             | <b>93</b> |
| <b>3.10 Leeson–Scherer Phase Noise Model .....</b>          | <b>94</b> |
| <b>3.11 Thermal Noise Limits .....</b>                      | <b>94</b> |
| <b>3.12 Nyquist Sampling Theorem .....</b>                  | <b>95</b> |

---

|  |            |
|--|------------|
| <b>3.13 Paley-Wiener Criterion .....</b>   | <b>97</b>  |
| <b>3.14 Parseval's Theorem .....</b>   | <b>97</b>  |
| <b>3.15 Poisson Sum.....</b>   | <b>97</b>  |
| <b>3.16 Time-Bandwidth Product.....</b>  | <b>98</b>  |
| 3.16.1 Gabor Limit for Deterministic Signals .....   | 98         |
| 3.16.2 Time-Frequency Resolution for Deterministic Signals .....                                   | 99         |
| 3.16.3 Time-Frequency Resolution Limits for Stochastic Signals .....                               | 99         |
| <b>3.17 Matched-Filters for Deterministic Signals in Additive White Gaussian Noise (AWGN).....</b> | <b>100</b> |
| <b>3.18 Weak Law of Large Numbers.....</b>   | <b>101</b> |
| <b>References.....</b>   | <b>103</b> |
| <b>Appendix 3A: Maximum-Likelihood Frequency Estimator .....</b>                                   | <b>104</b> |
| <b>Appendix 3B: Phase Probability Density Function for Sine Wave in AWGN .....</b>                 | <b>105</b> |
| <b>Chapter 4</b>   |            |
| <b>Noise in PLL-Based Systems.....</b>   | <b>109</b> |
| <b>4.1 Introduction.....</b>   | <b>109</b> |
| <b>4.2 Sources of Noise .....</b>  | <b>109</b> |
| 4.2.1 Semiconductor Noise Sources .....  | 109        |
| 4.2.2 Quantization Noise .....   | 116        |
| 4.2.3 Other Sources of Noise.....  | 118        |
| <b>4.3 Power Spectral Density Concept for Continuous-Time Stochastic Signals.....</b>              | <b>118</b> |
| <b>4.4 Power Spectral Density for Discrete-Time Sampled Systems.....</b>                           | <b>120</b> |
| 4.4.1 Example Results for Time-Sampled Noise.....  | 121        |
| 4.4.2 DAC and ADC Quantization Noise.....  | 124        |
| 4.4.3 Power Spectral Densities Refinements.....  | 125        |
| 4.4.4 Windowing Functions for Power Spectral Density Estimation .....                              | 125        |
| 4.4.5 Stationary Versus Cyclostationary Processes .....  | 131        |
| <b>4.5 Phase Noise First Principles.....</b>   | <b>131</b> |
| 4.5.1 Discrete Spurious Contaminations .....   | 131        |
| <b>4.6 Random Phase Noise .....</b>  | <b>132</b> |
| 4.6.1 Phase Noise Spectrum Terminology .....   | 135        |
| 4.6.2 Time-Domain Phase Noise Terminology .....  | 138        |
| 4.6.3 Modeling Phase Noise Processes .....   | 141        |
| <b>4.7 Noise Impression on Time and Frequency Sources .....</b>                                    | <b>142</b> |
| 4.7.1 Noise Equipartition with AM and PM Noise .....   | 142        |
| 4.7.2 Noise in Linear Two-Port Networks .....  | 142        |
| 4.7.3 Noise in Dividers.....   | 145        |
| 4.7.4 Macroscopic Noise Modeling in PLLs .....   | 146        |
| <b>References.....</b>   | <b>148</b> |

|  |            |
|--|------------|
| <b>Appendix 4A: Review of Stochastic Random Processes.....</b>   | <b>150</b> |
| 4A.1 Wide-Sense Stationarity .....   | 151        |
| 4A.2 Probability Density Functions .....   | 151        |
| 4A.3 Characteristic Function.....  | 154        |
| 4A.4 Cumulative Probability Distribution Function .....  | 155        |
| 4A.5 Creation of Sample Sequences Exhibiting an Arbitrary Probability Density .....                      | 155        |
| 4A.6 Power Spectral Density .....  | 156        |
| 4A.7 Linear Filtering of WSS Processes .....   | 157        |
| 4A.8 Equivalent Noise Bandwidth .....  | 158        |
| <b>References.....</b>   | <b>158</b> |
| <b>Appendix 4B: Accurate Noise Modeling for Computer Simulations.....</b>                                | <b>158</b> |
| 4B.1 Noise Modeling for $1/f^{\alpha}$ Processes with $0 < \alpha < 2$ .....                             | 159        |
| <b>References.....</b>   | <b>166</b> |
| <b>Appendix 4C: Creating Arbitrary Noise Spectra in a Digital Signal Processing Environment.....</b>     | <b>167</b> |
| <b>References.....</b>   | <b>170</b> |
| <b>Appendix 4D: Noise in Direct Digital Synthesizers.....</b>  | <b>171</b> |
| 4D.1 Traditional DDS General Concepts .....  | 171        |
| 4D.2 Phase Truncation and Related Spurious Effects .....   | 173        |
| 4D.3 DDS Output C/N.....   | 173        |
| <b>References.....</b>   | <b>174</b> |
| <b>Chapter 5</b>   |            |
| <b>System Performance.....</b>   | <b>175</b> |
| <b>    5.1 System Performance Overview.....</b>  | <b>175</b> |
| <b>    5.2 Integrated Phase Noise .....</b>  | <b>176</b> |
| <b>    5.3 Local Oscillators for Receive Systems.....</b>  | <b>176</b> |
| 5.3.1 Close-In Phase Noise Effects .....   | 179        |
| 5.3.2 Large Frequency Offset Phase Noise Effects .....   | 183        |
| <b>    5.4 Local Oscillators for Transmit Systems.....</b>   | <b>186</b> |
| 5.4.1 Close-In Phase Noise Effects .....   | 186        |
| 5.4.2 Large Frequency Offset Phase Noise Effects .....   | 187        |
| <b>    5.5 Local Oscillator Phase Noise Impact on Digital Communication Error Rate Performance .....</b> | <b>188</b> |
| 5.5.1 Uncoded BPSK Bit Error Rate Performance .....  | 189        |
| 5.5.2 Uncoded QPSK Bit Error Rate Performance.....   | 190        |
| 5.5.3 Symbol Error Rate for Square QAM Signal Constellations .....                                       | 190        |
| 5.5.4 Phase-Modulated Signals M-PSK .....  | 194        |
| <b>    5.6 Phase Noise Effects on OFDM Systems .....</b>   | <b>197</b> |
| 5.6.1 Channel Estimation Errors Due to Phase Noise .....   | 201        |
| <b>    5.7 Phase Noise Effects on Spread-Spectrum Systems .....</b>                                      | <b>205</b> |

---

|   |            |
|---|------------|
| <b>5.8 Phase Noise Impact for More Advanced Modulation Waveforms.....</b>   | <b>205</b> |
| 5.8.1 Euclidean Distance Measures .....                                     | 205        |
| 5.8.2 Forward Error Correction Coding Benefits .....                        | 207        |
| <b>5.9 Clock Noise Impact on DAC Performance.....</b>                       | <b>207</b> |
| <b>5.10 Clock Noise Impact on ADC Performance.....</b>                      | <b>209</b> |
| 5.10.1 ADC Example with Rectangular Interfering Spectrum .....              | 210        |
| <b>References.....</b>  | <b>212</b> |
| <b>Appendix 5A: Image Suppression and Error Vector Magnitude.....</b>       | <b>212</b> |
| <b>Appendix 5B: Channel Capacity and Cutoff Rate.....</b>                   | <b>214</b> |
| 5B.1 Channel Capacity .....   | 215        |
| <b>References.....</b>  | <b>222</b> |
| <b>Chapter 6</b>  |            |
| <b>Fundamental Concepts for Continuous-Time Systems .....</b>               | <b>223</b> |
| <b>6.1 Continuous Versus Discrete Time .....</b>                            | <b>223</b> |
| <b>6.2 Basic Continuous-Time Phase-Locked Loops .....</b>                   | <b>223</b> |
| <b>6.3 Additional Results for the Ideal Type-2 PLL .....</b>                | <b>228</b> |
| 6.3.1 Natural Frequency $\omega_n$ .....                                    | 228        |
| 6.3.2 Damping Factor .....  | 232        |
| <b>6.4 Loop Filters .....</b>   | <b>233</b> |
| 6.4.1 Single-Ended Versus Differential.....                                 | 234        |
| <b>6.5 More Complicated Loop Filters .....</b>                              | <b>235</b> |
| 6.5.1 One Additional Real Pole in Loop Filter .....                         | 235        |
| 6.5.2 Additional RC Lowpass Filter Section .....                            | 240        |
| 6.5.3 Cascading Two RC Lowpass Sections .....                               | 243        |
| <b>6.6 Type-3 PLL.....</b>  | <b>244</b> |
| 6.6.1 Close Equivalence for the Type-3 PLL with the Ideal Type-2 PLL .....  | 246        |
| <b>6.7 Haggai Constant Phase Margin Loop (9 dB per Octave).....</b>         | <b>251</b> |
| <b>6.8 Pseudo-Continuous Phase Detector Models .....</b>                    | <b>259</b> |
| 6.8.1 Tri-State Voltage-Based Charge-Pump .....                             | 259        |
| 6.8.2 Tri-State Charge-Pump Detector—Current-Based .....                    | 263        |
| 6.8.3 Zero-Order Sample-and-Hold .....                                      | 266        |
| 6.8.4 Digital Feedback Dividers .....                                       | 268        |
| 6.8.5 Modeling Time Delays in Continuous Systems .....                      | 270        |
| <b>6.9 Stability Analysis.....</b>  | <b>272</b> |
| 6.9.1 Nyquist Stability Criterion .....                                     | 272        |
| 6.9.2 Measures of System Stability: Gain and Phase Margins .....            | 273        |
| <b>6.10 Transient Response Evaluation for Continuous-Time Systems .....</b> | <b>274</b> |
| 6.10.1 Exact Method—Partial Fractions .....                                 | 275        |
| 6.10.2 Exact Method—System of Differential Equations .....                  | 276        |
| 6.10.3 Exact Method—State-Transition Matrix Method.....                     | 278        |

|  |            |
|--|------------|
| 6.10.4 Exact Method—Corrington .....   | 279        |
| 6.10.5 Approximate Method—Integration Formula Substitution.....  | 281        |
| 6.10.6 Approximate Method—Line Integration.....  | 281        |
| 6.10.7 Approximate Method—FFT .....  | 281        |
| 6.10.8 Approximate Method—Poisson Sum .....  | 282        |
| 6.10.9 Approximate Method—Companion Models .....   | 282        |
| <b>References.....</b>   | <b>283</b> |
| <b>Appendix 6A: Simplification of Linear Systems .....</b>   | <b>284</b> |
| <b>References.....</b>   | <b>286</b> |
| <b>Appendix 6B: Bandwidth Considerations for Continuous-Time Modeling of Time-Sampled Systems.....</b> | <b>287</b> |
| 6B.1 Appearance of $\exp(-sT_s/2)$ Factor.....   | 290        |
| 6B.2 Pole-Zero Excess and the Poisson Sum Formula.....   | 290        |
| <b>Reference .....</b>   | <b>290</b> |
| <b>Appendix 6C: Christiaan Huygens and Phase-Locked Pendulum Clocks .....</b>                          | <b>293</b> |
| <b>Appendix 6D: Admittance Matrix Methods for Analyzing Complex Loop Filters ...</b>                   | <b>293</b> |
| <b>Chapter 7</b>   |            |
| <b>Fundamental Concepts for Sampled-Data Control Systems .....</b>                                     | <b>295</b> |
| <b>7.1 Sampled Signal Basics .....</b>   | <b>295</b> |
| <b>7.2 Relationships Between Continuous-Time and Discrete-Time Signal Representations.....</b>         | <b>296</b> |
| 7.2.1 Additional Insights for Sampled Signals .....  | 297        |
| <b>7.3 Sampled-Time PLL.....</b>   | <b>300</b> |
| <b>7.4 Stability Assessment for Sampled Systems.....</b>   | <b>303</b> |
| <b>7.5 Time-Domain Response.....</b>   | <b>304</b> |
| <b>7.6 Closed-Form Results for Sampled PLLs .....</b>  | <b>305</b> |
| 7.6.1 Ideal Type-1 with Sample-Hold .....  | 305        |
| 7.6.2 Ideal Type-2 PLL with Sample-Hold .....  | 309        |
| 7.6.3 Type-2 Third-Order with Charge-Pump Phase Detector .....   | 313        |
| 7.6.4 Type-2 Fourth-Order with Charge-Pump Phase Detector .....  | 317        |
| <b>7.7 Pseudo-Continuous Versus Sampled System Analysis.....</b>                                       | <b>319</b> |
| <b>7.8 Noise in Sampled Systems .....</b>  | <b>320</b> |
| 7.8.1 Reference-Referred Noise .....   | 321        |
| 7.8.2 VCO-Referred Noise .....   | 324        |
| <b>References.....</b>   | <b>325</b> |
| <b>Appendix 7A: Additional Closed-Form Results for Sampled PLLs .....</b>                              | <b>326</b> |

***Chapter 8***

|   |     |
|---|-----|
| <i>Fractional-N Frequency Synthesizers</i> .....                      | 327 |
| <b>8.1 A Brief History of Fractional-N Synthesis</b> .....            | 327 |
| <b>8.2 Analog-Based Fractional-N Synthesis</b> .....                  | 333 |
| <b>8.3 Δ-Σ Modulator Fundamentals</b> .....                           | 333 |
| 8.3.1 Quantization .....  | 336 |
| 8.3.2 Oversampling Rate .....   | 337 |
| 8.3.3 Noise Shaping.....  | 337 |
| 8.3.4 Signal Transfer Function .....                                  | 341 |
| 8.3.5 Δ-Σ Modulator Stability .....                                   | 342 |
| 8.3.6 Phase Error Probability Density Functions.....                  | 344 |
| <b>8.4 Δ-Σ Frequency Synthesis Architectures</b> .....                | 346 |
| 8.4.1 Single-Stage Δ-Σ Modulator Architectures .....                  | 346 |
| 8.4.2 Multi-Stage Modulator Architectures.....                        | 355 |
| <b>8.5 Single-Bit Versus Multiple-Bit Output Δ-Σ Modulators</b> ..... | 359 |
| <b>8.6 Combating Discrete Spurious Tones</b> .....                    | 363 |
| 8.6.1 Spur Reduction Using Dithering .....                            | 364 |
| 8.6.2 Spur Reduction Using Chaos.....                                 | 364 |
| 8.6.3 Irrational Initial Condition.....                               | 365 |
| 8.6.4 Limit-Cycles.....   | 365 |
| <b>8.7 Δ-Σ Fractional-N Caveats to Avoid</b> .....                    | 369 |
| 8.7.1 Load Pulling and Pushing on VCO .....                           | 369 |
| 8.7.2 Time Delay Variations .....                                     | 369 |
| 8.7.3 Charge-Pump Nonlinearities .....                                | 370 |
| 8.7.4 Loop Filter Requirements.....                                   | 376 |
| <b>8.8 Final Recommendations</b> .....                                | 377 |
| <b>References</b> .....   | 377 |

***Chapter 9***

|   |     |
|---|-----|
| <i>Oscillators</i> .....                                | 381 |
| <b>9.1 Linear Oscillator Theory</b> .....               | 381 |
| 9.1.1 Control System Perspective.....                   | 381 |
| 9.1.2 Negative-Resistance Oscillator.....               | 383 |
| <b>9.2 Oscillator Configurations</b> .....              | 389 |
| 9.2.1 RC Oscillators .....                              | 389 |
| 9.2.2 Ring Oscillators.....                             | 394 |
| 9.2.3 Bridge Oscillators.....                           | 395 |
| 9.2.4 LC Oscillators.....                               | 403 |
| 9.2.5 Oscillator Summary.....                           | 406 |
| 9.2.6 Oscillator ALC .....                              | 408 |
| 9.2.7 Best Oscillator Design Practices.....             | 410 |
| <b>9.3 Oscillator Usage in Phase-Locked Loops</b> ..... | 416 |

|   |            |
|---|------------|
| 9.3.1 VCO Coarse-Tuning Methods.....  | 416        |
| 9.3.2 VCO Fine-Tuning Methods.....  | 417        |
| 9.3.3 VCO Gain Compensation.....  | 421        |
| <b>9.4 Oscillator Impairments .....</b>                                     | <b>423</b> |
| 9.4.1 Load-Pulling .....  | 423        |
| 9.4.2 Injection-Locking .....   | 425        |
| 9.4.3 Oscillator-Pushing .....  | 426        |
| 9.4.4 Post-Tuning Drift .....   | 426        |
| <b>9.5 Classical Phase Noise Models.....</b>                                | <b>429</b> |
| 9.5.1 Leeson's Model .....  | 429        |
| 9.5.2 Haggai Phase Noise Model .....  | 430        |
| 9.5.3 Ring Oscillator Phase Noise Model.....                                | 433        |
| <b>9.6 Nonlinear Oscillators and Noise .....</b>                            | <b>439</b> |
| <b>References.....</b>  | <b>440</b> |
| <b>Selected Bibliography .....</b>  | <b>442</b> |
| <i>Chapter 10</i>   |            |
| <b><i>Clock and Data Recovery .....</i></b>                                 | <b>443</b> |
| <b>10.1 Clock and Data Recovery Basics .....</b>                            | <b>443</b> |
| <b>10.2 Signaling Waveforms.....</b>  | <b>444</b> |
| <b>10.3 Intersymbol Interference.....</b>                                   | <b>447</b> |
| 10.3.1 Zero Intersymbol Interference .....                                  | 448        |
| <b>10.4 Bit Error Rate .....</b>  | <b>451</b> |
| <b>10.5 Optimal Timing Recovery Methods.....</b>                            | <b>455</b> |
| 10.5.1 Cramer-Rao Bound Limits .....  | 455        |
| 10.5.2 Estimation Theory-Based Timing-Error Metrics.....                    | 455        |
| 10.5.3 Hardware-Based Timing-Error Metrics.....                             | 471        |
| <b>10.6 Bit Error Rate Including Time Recovery .....</b>                    | <b>476</b> |
| 10.6.1 Clock Recovery Using First-Order Markov Modeling.....                | 477        |
| 10.6.2 Computing Transition-Probabilities for CDR Applications .....        | 482        |
| 10.6.3 Mean-Time to First-Slip .....  | 486        |
| 10.6.4 Applying First-Order Markov Modeling to Real PLLs .....              | 488        |
| 10.6.5 Conventional Approach to Timing-Recovery Analysis.....               | 490        |
| 10.6.6 Connecting Phase Tracking Performance with CDR BER Performance ..... | 491        |
| <b>10.7 Final Thoughts .....</b>  | <b>491</b> |
| <b>References.....</b>  | <b>492</b> |
| <b>Appendix 10A: BER Calculation Using the Gil-Pelaez Theorem.....</b>      | <b>493</b> |
| <b>References.....</b>  | <b>494</b> |
| <b><i>Acronyms and Abbreviations .....</i></b>                              | <b>495</b> |
| <b><i>List of Symbols.....</i></b>  | <b>499</b> |

|                               |            |
|-------------------------------|------------|
| <i>About the Author</i> ..... | <b>501</b> |
| <i>Index</i> .....            | <b>503</b> |



